

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	16437	(allocat\$4 with bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L2	38663	(pointer vector) with table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L3	2530	(rank\$3 priority) near3 (vector pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L4	14911	(request\$3 pend\$3) with (pointer vector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L5	98	L1 and L2 and L3 and L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L6	21442909	@ad<="20011012"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L7	44	L5 and L6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L8	43	L7 and device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12

EAST Search History

L9	43	L8 and (physical link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L10	43	L9 and queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L11	37	L10 and (updat\$3 with (resource allocat\$4 table pointer vector))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L12	35	L11 and bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L13	37	L11 and (bit flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L14	27	L11 and (bit and flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L15	0	L14 and verilog	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L16	0	L14 and vhdI	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12

EAST Search History

L17	22	L14 and logic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L18	27	L11 and (bit and flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L19	30	L13 and logic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L20	16437	(allocat\$4 with bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L21	38663	(pointer vector) with table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L22	2530	(rank\$3 priority) near3 (vector pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L23	14911	(request\$3 pend\$3) with (pointer vector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L24	98	L20 and L21 and L22 and L23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12

EAST Search History

L25	21442909	@ad<="20011012"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L26	44	L24 and L25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L27	43	L26 and device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L28	43	L27 and (physical link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L29	43	L28 and queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L30	37	L29 and (updat\$3 with (resource allocat\$4 table pointer vector))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L31	35	L30 and bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L32	37	L30 and (bit flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12

EAST Search History

L33	27	L30 and (bit and flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L34	0	L33 and verilog	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L35	0	L33 and vhdl	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L36	43	L26 and device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L37	37	L29 and (updat\$3 with (resource allocat\$4 table pointer vector))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L38	22	L33 and logic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L39	27	L30 and (bit and flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L40	30	L32 and logic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L41	1	(US-6661788-\$).did.	USPAT	OR	OFF	2006/05/26 15:12

EAST Search History

L42	0	L41 and pend\$3 with request with (pointer vector)	USPAT	OR	ON	2006/05/26 15:12
L43	1	L41 and pend\$3 with request	USPAT	OR	ON	2006/05/26 15:12
L44	16437	(allocat\$4 with bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L45	38663	(pointer vector) with table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L46	2530	(rank\$3 priority) near3 (vector pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L47	14911	(request\$3 pend\$3) with (pointer vector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L48	98	L44 and L45 and L46 and L47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L49	21442909	@ad<="20011012"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L50	44	L48 and L49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12

EAST Search History

L51	43	L50 and device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L52	43	L51 and (physical link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L53	43	L52 and queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L54	37	L53 and (update\$3 with (resource allocation\$4 table pointer vector))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L55	35	L54 and bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L56	37	L54 and (bit flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L57	27	L54 and (bit and flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L58	0	L57 and verilog	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12

EAST Search History

L59	0	L57 and vhdI	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L60	16437	(allocat\$4 with bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L61	38663	(pointer vector) with table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L62	2530	(rank\$3 priority) near3 (vector pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L63	14911	(request\$3 pend\$3) with (pointer vector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L64	98	L60 and L61 and L62 and L63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L65	21442909	@ad<="20011012"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L66	44	L64 and L65	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12

EAST Search History

L67	43	L66 and device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L68	43	L67 and (physical link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L69	43	L68 and queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L70	37	L69 and (update\$3 with (resource allocat\$4 table pointer vector))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L71	35	L70 and bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L72	37	L70 and (bit flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L73	27	L70 and (bit and flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L74	0	L73 and verilog	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12

EAST Search History

L75	0	L73 and vhd1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L76	1	(US-6661788-\$).did.	USPAT	OR	OFF	2006/05/26 15:12
L77	0	L76 and pend\$3 with request with (pointer vector)	USPAT	OR	ON	2006/05/26 15:12
L78	1	(US-6661788-\$).did.	USPAT	OR	OFF	2006/05/26 15:12
L79	1	L76 and pend\$3 with request	USPAT	OR	ON	2006/05/26 15:12
L80	43	L50 and device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L81	37	L53 and (updat\$3 with (resource allocat\$4 table pointer vector))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L82	22	L57 and logic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L83	27	L54 and (bit and flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L84	30	L56 and logic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L85	43	L66 and device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12

EAST Search History

L86	37	L69 and (updat\$3 with (resource allocat\$4 table pointer vector))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L87	22	L73 and logic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L88	27	L70 and (bit and flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L89	30	L72 and logic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L90	2653	verilog and vhdl	US-PGPUB; USPAT	OR	ON	2006/05/26 15:12
L91	1199	L49 and L90	US-PGPUB; USPAT	OR	ON	2006/05/26 15:12
L92	507	L91 and resource	US-PGPUB; USPAT	OR	ON	2006/05/26 15:12
L93	107	L91 and (resource with allocat\$4)	US-PGPUB; USPAT	OR	ON	2006/05/26 15:12
L94	11	"370"/\$.ccls. and L93	US-PGPUB; USPAT	OR	ON	2006/05/26 15:12
L95	10	(order adj appear\$4) with (list stack queue) with (pointer vector)	USPAT	OR	ON	2006/05/26 15:12
L96	10	L65 and L95	USPAT	OR	ON	2006/05/26 15:12
L97	0	(order adj appear\$4) with (list stack queue) with (pointer vector) with direction	USPAT	OR	ON	2006/05/26 15:12
L98	0	(list with resource with ordered with appearance)	USPAT	OR	ON	2006/05/26 15:12
L99	5224	(order adj3 appearance)	USPAT	OR	ON	2006/05/26 15:12
L100	4	L99 with resource	USPAT	OR	ON	2006/05/26 15:12
L101	29	L65 and L89	USPAT	OR	ON	2006/05/26 15:12

EAST Search History

L102	4	L49 and L100	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L103	3767	(order adj3 listed)	USPAT	OR	ON	2006/05/26 15:12
L104	76	"370"/\$.ccls. and L103	US-PGPUB; USPAT	OR	ON	2006/05/26 15:12
L105	71	L49 and L104	US-PGPUB; USPAT	OR	ON	2006/05/26 15:12
L106	1	L76 and (memory storage)	USPAT	OR	OFF	2006/05/26 15:12
L107	0	L76 and exclud\$3	USPAT	OR	ON	2006/05/26 15:12
L108	1	L76 and second	USPAT	OR	ON	2006/05/26 15:12
L109	1	L76 and next	USPAT	OR	ON	2006/05/26 15:12
L110	1	L76 and table	USPAT	OR	ON	2006/05/26 15:12
L111	3	(vajjhala schober).inv. and vector. clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L112	2530	(rank\$3 priority) near3 (vector pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L113	2530	(rank\$3 priority) near3 (vector pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L114	14911	(request\$3 pend\$3) with (pointer vector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L115	44823	"709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12

EAST Search History

L116	16437	(allocat\$4 with bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L117	38663	(pointer vector) with table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L118	2530	(rank\$3 priority) near3 (vector pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L119	14911	(request\$3 pend\$3) with (pointer vector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L120	98	L116 and L117 and L118 and L119	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L121	21442909	@ad<="20011012"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L122	44	L120 and L121	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L123	43	L122 and device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12

EAST Search History

L124	43	L123 and (physical link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L125	43	L124 and queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L126	37	L125 and (updat\$3 with (resource allocat\$4 table pointer vector))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L127	35	L126 and bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L128	37	L126 and (bit flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L129	27	L126 and (bit and flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L130	0	L129 and verilog	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L131	0	L129 and vhdl	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12

EAST Search History

L132	16437	(allocat\$4 with bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L133	38663	(pointer vector) with table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L134	2530	(rank\$3 priority) near3 (vector pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L135	14911	(request\$3 pend\$3) with (pointer vector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L136	98	L132 and L133 and L134 and L135	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L137	21442909	@ad<="20011012"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L138	44	L136 and L137	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L139	43	L138 and device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12

EAST Search History

L140	43	L139 and (physical link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L141	43	L140 and queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L142	37	L141 and (updat\$3 with (resource allocat\$4 table pointer vector))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L143	35	L142 and bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L144	37	L142 and (bit flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L145	27	L142 and (bit and flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L146	0	L145 and verilog	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L147	0	L145 and vhdl	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L148	1	(US-6661788-\$).did.	USPAT	OR	OFF	2006/05/26 15:12

EAST Search History

L149	0	L148 and pend\$3 with request with (pointer vector)	USPAT	OR	ON	2006/05/26 15:12
L150	16437	(allocat\$4 with bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L151	38663	(pointer vector) with table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L152	2530	(rank\$3 priority) near3 (vector pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L153	14911	(request\$3 pend\$3) with (pointer vector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L154	98	L150 and L151 and L152 and L153	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L155	21442909	@ad<="20011012"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L156	44	L154 and L155	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L157	43	L156 and device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12

EAST Search History

L158	43	L157 and (physical link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L159	43	L158 and queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L160	37	L159 and (updat\$3 with (resource allocat\$4 table pointer vector))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L161	35	L160 and bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L162	37	L160 and (bit flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L163	27	L160 and (bit and flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L164	0	L163 and verilog	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L165	0	L163 and vhdl	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12

EAST Search History

L166	16437	(allocat\$4 with bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L167	38663	(pointer vector) with table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L168	2530	(rank\$3 priority) near3 (vector pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L169	14911	(request\$3 pend\$3) with (pointer vector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L170	98	L166 and L167 and L168 and L169	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L171	21442909	@ad<="20011012"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L172	44	L170 and L171	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L173	43	L172 and device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12

EAST Search History

L174	43	L173 and (physical link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L175	43	L174 and queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L176	37	L175 and (updat\$3 with (resource allocat\$4 table pointer vector))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L177	35	L176 and bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L178	37	L176 and (bit flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L179	27	L176 and (bit and flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L180	0	L179 and verilog	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L181	0	L179 and vhdl	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L182	1	(US-6661788-\$).did.	USPAT	OR	OFF	2006/05/26 15:12

EAST Search History

L183	0	L182 and pend\$3 with request with (pointer vector)	USPAT	OR	ON	2006/05/26 15:12
L184	2653	verilog and vhdI	US-PGPUB; USPAT	OR	ON	2006/05/26 15:12
L185	1199	L155 and L184	US-PGPUB; USPAT	OR	ON	2006/05/26 15:12
L186	507	L185 and resource	US-PGPUB; USPAT	OR	ON	2006/05/26 15:12
L187	107	L185 and (resource with allocat\$4)	US-PGPUB; USPAT	OR	ON	2006/05/26 15:12
L188	10	(order adj appear\$4) with (list stack queue) with (pointer vector)	USPAT	OR	ON	2006/05/26 15:12
L189	0	(order adj appear\$4) with (list stack queue) with (pointer vector) with direction	USPAT	OR	ON	2006/05/26 15:12
L190	0	(list with resource with ordered with appearance)	USPAT	OR	ON	2006/05/26 15:12
L191	5224	(order adj3 appearance)	USPAT	OR	ON	2006/05/26 15:12
L192	4	L191 with resource	USPAT	OR	ON	2006/05/26 15:12
L193	30	L178 and logic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L194	29	L171 and L193	USPAT	OR	ON	2006/05/26 15:12
L195	3767	(order adj3 listed)	USPAT	OR	ON	2006/05/26 15:12
L196	76	"370"/\$.ccls. and L195	US-PGPUB; USPAT	OR	ON	2006/05/26 15:12
L197	0	L182 and exclud\$3	USPAT	OR	ON	2006/05/26 15:12
L198	2530	(rank\$3 priority) near3 (vector pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L199	2530	(rank\$3 priority) near3 (vector pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12

EAST Search History

L200	14911	(request\$3 pend\$3) with (pointer vector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L201	44823	"709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L202	1	(US-6661788-\$).did.	USPAT	OR	OFF	2006/05/26 15:12
L203	1	L148 and pend\$3 with request	USPAT	OR	ON	2006/05/26 15:12
L204	1	(US-6661788-\$).did.	USPAT	OR	OFF	2006/05/26 15:12
L205	1	L182 and pend\$3 with request	USPAT	OR	ON	2006/05/26 15:12
L206	1	L182 and (memory storage)	USPAT	OR	OFF	2006/05/26 15:12
L207	1	L182 and second	USPAT	OR	ON	2006/05/26 15:12
L208	1	L182 and next	USPAT	OR	ON	2006/05/26 15:12
L209	1	L182 and table	USPAT	OR	ON	2006/05/26 15:12
L210	43	L122 and device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L211	37	L125 and (updat\$3 with (resource allocat\$4 table pointer vector))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L212	22	L129 and logic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L213	27	L126 and (bit and flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12

EAST Search History

L214	30	L128 and logic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L215	43	L138 and device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L216	37	L141 and (updat\$3 with (resource allocat\$4 table pointer vector))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L217	22	L145 and logic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L218	27	L142 and (bit and flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L219	30	L144 and logic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L220	43	L156 and device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L221	37	L159 and (updat\$3 with (resource allocat\$4 table pointer vector))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12

EAST Search History

L222	22	L163 and logic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L223	27	L160 and (bit and flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L224	30	L162 and logic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L225	43	L172 and device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L226	37	L175 and (updat\$3 with (resource allocat\$4 table pointer vector))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L227	22	L179 and logic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L228	27	L176 and (bit and flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L229	30	L178 and logic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L230	11	"370"/\$.ccls. and L187	US-PGPUB; USPAT	OR	ON	2006/05/26 15:12

EAST Search History

L231	10	L171 and L188	USPAT	OR	ON	2006/05/26 15:12
L232	4	L155 and L192	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12
L233	71	L155 and L196	US-PGPUB; USPAT	OR	ON	2006/05/26 15:12
L234	3	(vajjhala schober).inv. and vector. clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:12